

Painted Coil

Ready When You Are

paint



texture



emboss



metallic



customize



Amerimax
COATED PRODUCTS, INC.


Your Single Resource For Coated Aluminum Products

We're stocked with metal to supply fabricators, service centers, OEMs and architectural/commercial manufacturers throughout the world. From the initial design phase to the final quality review, Amerimax Coated Products, Inc. has extensive expertise in coating systems. For over 50 years, this knowledge provides us with the unique capacity to meet a full range of coil coating requirements for a variety of industries, including transportation, lighting, remodeling and signage.

From painting to fabrication, Amerimax is committed to providing superior quality metal solutions, professional customer service and outstanding value. Amerimax produces single or multiple coatings, precision painted graphics, slitting and embossing, customized to your specifications, with rapid turnaround for just-in-time orders. A broad selection of standard paint colors are available in any gloss level to expedite your order. We can accommodate custom coil coating needs for both large and small quantities.

We're your single invoice source for coated aluminum products.


Efficiency and dependability are the cornerstones of our coating process. We remain committed to continuous improvement through Lean Six Sigma initiatives.





A state-of-the-art quality assurance lab and continuous online color measurement equipment is part of our dedication to quality.

From Start to Finish...


and every step in between



Contact Amerimax today at 800-448-4033 • www.amerimax.com




We partner with only the most respected and trusted metal and paint suppliers to ensure a continuous supply of metal is available for all your needs.



Precision painted graphics and wide stripe capabilities add value and save you time.

The Amerimax Advantage:

- Small (10,000 lbs.) or Large Production Runs
- Painted Coil up to 56" (60" - 102" by Special Request)
- Custom Color Matching with Continuous On-line Color Measuring
- Precision Painted Graphics (Linear, Non-linear)
- Rotogravure and Flexographic Printing Available
- Slitting and Embossing (Stucco, Rustic Cedar and StarBrite embossing available)
- Cut-to-length Sheets Available
- Toll Coating
- One-pass, Double-coating Capabilities
- Forward/Reverse Rewinding
- State-of-the-art Quality Assurance Lab
- Nationwide Distribution Network
- Ten Manufacturing Facilities for Additional Coil Processing and Fabrication



Amerimax
COATED PRODUCTS, INC.

Aluminum Terms

Polyester

Characteristics:

Low cost; resistance to marring, staining, solvents and corrosion; excellent formability; adhesion, available in a wide range of gloss and colors.

Applications:

Building components: garage and entry doors; manufactured housing; lighting; heating and air conditioning equipment; appliances; office products and furniture.

Acrylic

Characteristics:

Solid stain, abrasion and mar resistance coupled with good durability; limited formability; low to full gloss range; high bonding properties.

Applications:

Transportation, appliances, sign stock; light fixtures; truck trailer panels, laminated panels.

Silicone Polyester

Characteristics:

Hardness and mar resistance to solvents, corrosion and humidity; adhesion; color and gloss retention; applied cost.

Applications:

Pre-engineered buildings; rural buildings; insulated building components.

Kynar

Characteristics:

Color and gloss retention; solvent, chemical and humidity resistance; film flexibility; ease of application.

Applications:

Architectural roofing and siding; residential roofing; insulated building panels; automotive trim.



Coil Coating Capabilities

- Precision painted graphics (linear and non-linear) and embossing
- Painted coil up to 56" (60" to 102" by special request)
- Rotogravure and Flexographic printing available
- Any color can be supplied at any gloss level
- Small (10,000 lbs.) or large production runs
- Single or multiple coatings

PLANT	Helena, AR	Anaheim, CA
ALUMINUM		
Thickness	.010" - .060"	.015" - .060"
Width	Up to 56"	Up to 37"
STEEL		
Thickness	.010" - .024"	-
Width	Up to 56"	-
GALVALUME		
Thickness	.010" - .019"	-
Width	Up to 56"	-
COIL SPECIFICATIONS		
Coil O.D.	32" - 78"	40" - 60"
Coil I.D.	20"	16", 20"
Core	Yes	Yes
Maximum Coil (lbs.)	20,000 In/10,000 Out	6,000 In/5,000 Out
COATINGS		
Acrylics	Yes	Yes
Polyester	Yes	Yes
Kynar	Yes	-
Epoxy	Yes	Yes
Siliconized Polyester	Yes	Yes
Urethane	Yes	Yes
CAPABILITIES		
Embossing (stucco or rustic cedar)	Up to 56"	Up to 48"
Slitting	Yes	Yes
Rotogravure Printing	Yes	Yes
Precision Painted Graphics	-	Yes
Flexographic Printing	Yes	Yes
Multi-Color Wide Stripe	Yes	Yes
Two-coat Steel Aluminum	Yes	-

Amerimax Aluminum Standards

Paint System:

Single Coat Polyester

Alloy:

3105 H26 - CC Base Metal

Pencil Hardness:

F-2H

Embossing Depth:

.008" - .010"

T-Bend:

2-T/180° Bend with Grain

Quantity Tolerance:

+/- 10%

Core:

20" ID, Fiber Core

Orientation:

Eye to Sky

Skid:

2,000 to 3,500 Wooden

Warranty:

10-Year Limited Warranty

(Ask for our complete detailed warranty.)



Amerimax has an extensive knowledge of coating applications, metal handling, slitting and embossing. Our company facilities are designed for cost competitiveness and offer quality performance. We utilize state-of-the-art equipment and detailed procedures, along with a dedicated team approach and expert personnel to ensure we provide value-added results.

You can depend on Amerimax Coated Products, Inc. for the highest level of quality, service, value and on-time delivery.

Contact Amerimax today at 800-448-4033 or inquiries@amerimaxbp.com for product specifications and additional information.



Amerimax
COATED PRODUCTS, INC.

Corporate Headquarters

5208 Tennyson Parkway • Suite 100 • Plano, TX 75024

800-448-4033 • Fax: 800-448-8391 • www.amerimaxbp.com

e-mail: inquiries@amerimaxbp.com

Google™ Keyword: Painted Aluminum Coil